



DOE Complaint Glass Door Products.

Contact Customer Service if the product you are looking for is not listed.

www.styleline.com

Prices and specifications subject to change without notice and do not include applicable freight and tax.

092022

Glass & Energy Surcharge will be added to sale orders and final invoices effective 10.3.2022 (excluding freight charges).



DOE Compliant Product Performance LevelsHelping you select the right product

- Styleline® CL NT: 75F/75%RH- @35F Cooler Temp - Styleline® CL HH: 75F/85%RH- @35F Cooler Temp - Styleline® CL LT: 75F/64%RH- @-10F Freezer Temp

- Styleline® RM NT: 75F/75%RH- @35F Cooler Temp - Styleline® RM LT: 75F/65%RH- @-10F Freezer Temp

- Styleline® Profile: 75F/55%RH-@35F Cooler Temp

Fully compliant DOE 2017 product portfolio performance levels are exhibiting the highest levels of performance and condensation protection in the industry.



STYLELINE® CLNT shown

Please Note:

Glass & Energy Surcharge will be added to sale orders and final invoices effective 10.3.2022 (excluding freight charges).



Ordering STYLELINE® DOE Compliant Products

Expedite Your Quotation/Order



Please fill out the form below to help expedite your quote/order request.

Application: New Installation		, , , , , , , , , , , , , , , , , , ,					
Door Finish: Satin Black Satin Silver Bright Black Bright Silver Door Extrusion: Smooth Serrated (CL NT only) Hinging: Left Right French Style Door Lock: Lighting: Standard LED Entrance Door Surface Mount Shelving System: Standard 27" Slide Trac 36" Super-Slide Trac 36" 43" Black Post & Shelves (standard) Shelves Per Door: Galvanized Post & White Shelves Shelves Per Door: Subject to availability & pricing. When Ordering Full Name	Application:	New Installation Remodel Replacement					
Door Extrusion: Smooth Serrated (CL NT only) Hinging: Left Right French Style Door Lock: Lighting: Standard LED Entrance Door Surface Mount Shelving System: Standard 27" Slide Trac 36" Super-Slide Trac 36" 43" Shelving Color: Galvanized Post & Shelves (standard) Shelves Per Door: Galvanized Post & White Shelves Door Handle: Standard Offset Full-length (upcharge) Subject to availability & pricing. When Ordering Full Name Ship to Address Onsite Date Requested Special Instructions Information Needed For Replacement. Model/Serial are located on top of each frame.	Number of Doors:	Door Size: Door Model:					
Hinging: Left	Door Finish:	Satin Black Satin Silver Bright Black Bright Silver					
Lighting: Standard LED	Door Extrusion:	Smooth Serrated (CL NT only)					
Shelving System: Standard 27" Slide Trac 36" Super-Slide Trac 36" 43" Shelving Color: Shelving Color: Shelves (standard) Shelves Per Door: Subject to availability & pricing. When Ordering Full Name Company Name E-mail Phone Number Ship to Address Onsite Date Requested Special Instructions Information Needed For Replacement. Model/Serial are located on top of each frame.	Hinging:	Left Right French Style Door Lock:					
Shelving Color: Galvanized Post & Shelves (standard) Galvanized Post & White Shelves Shelves Per Door: Galvanized Post & White Shelves Galvanized Post & White Shelves Shelves Per Door: Galvanized Post & White Shelves Galvanized Post &	Lighting:	Standard LED					
Shelving Color: Galvanized Post & White Shelves Door Handle: Standard Offset Full-length (upcharge) Subject to availability & pricing. When Ordering Full Name Company Name E-mail Phone Number Ship to Address Onsite Date Requested Special Instructions Information Needed For Replacement. Model/Serial are located on top of each frame.	Shelving System:	Standard 27" Slide Trac 36" Super-Slide Trac 36" 43"					
Subject to availability & pricing. When Ordering Full Name Company Name E-mail Phone Number Ship to Address Onsite Date Requested Special Instructions Information Needed For Replacement. Model/Serial are located on top of each frame.	Shelving Color:	Shelves Per Door:					
When Ordering Full Name Company Name E-mail Phone Number Ship to Address Onsite Date Requested Special Instructions Information Needed For Replacement. Model/Serial are located on top of each frame.	Door Handle:	Standard Offset					
Company Name E-mail Phone Number Ship to Address Onsite Date Requested Special Instructions Information Needed For Replacement. Model/Serial are located on top of each frame.	When Orderi						
E-mail Phone Number Ship to Address Onsite Date Requested Special Instructions Information Needed For Replacement. Model/Serial are located on top of each frame.	Full N	lame					
Phone Number Ship to Address Onsite Date Requested Special Instructions Information Needed For Replacement. Model/Serial are located on top of each frame.	Company N	lame					
Ship to Address Onsite Date Requested Special Instructions Information Needed For Replacement. Model/Serial are located on top of each frame.	E-mail						
Onsite Date Requested Special Instructions Information Needed For Replacement. Model/Serial are located on top of each frame.							
Special Instructions Information Needed For Replacement. Model/Serial are located on top of each frame.	•						
Information Needed For Replacement. Model/Serial are located on top of each frame.	•						
Model Number Serial Number							
	Model Nur	mber Serial Number					

Please Note:

Glass & Energy Surcharge will be added to sale orders and final invoices effective 10.3.2022 (excluding freight charges).



STYLELINE DOORS CONFIGURATION & OPTIONS - REV.1

	REACH-IN DOORS FOR COOLERS			
Updated: 09/2022				
DOOR APPLICATION	STYLELINE	STYLELINE	STYLELINE	
Dook / ii i Dio/ iii ei	RM	CL	PROFILE	
Cooler Normal Temp	~	✓	*	
Cooler High Humidity	•	<u>,</u>	▼	
Freezer		•		
Heavy Duty Entrance Door		✓		
PERFORMANCE LEVELS				
NT: 75°F/75%RH @ 35° Cooler	✓	✓ CLNT		
NT: 75°F/55%RH @ 35° Cooler			>	
HH: 75°F/85%RH @ 35° Cooler		✓ CLHH		
LT: 75°F/64%RH @ -10° Freezer				
LT: 75°F/65%RH @ -10° Freezer				
IGU (GLASS PACK)				
2- Pane		✓ CLNT	*	
3- Pane Argon Fill, Low-E	~	✓ CLHH		
Argon Fill, Low-E Anti-Fog Film		~		
All Glass Appearance			~	
IMPORTANT DOOR SPECS				
I'II OKTAKT BOOK SI EGS		T		
DOE Compliant				
Energy Controller	-	*	<u> </u>	
Occupancy Sensor	•	✓ CLHH	*	
Magnetic Door Gasket	✓	✓		
Frame Advanced Thermal Projection	*	✓	~	
Reliable Door Hinge Kit	Y Y	✓	✓	
Stainless Trim Kit	*	Y	•	
STYLELINE® LED Plus Shelving Standard / Options	Y	*	✓ ✓OPTIONAL	
Standard Handle	-	~	▼ OFTIONAL	
Full-Length Handle	,	✓	·	
Injected Molded Door Frame	✓			
Aluminum Door Frame		✓	All Glass	
Door Locks	✓ External	✓		
DOOR SWING				
Standard Left/Right	✓	✓	✓	
Reversible		✓ CLNT		
French Style Opening - No Mullion French Style Opening - With Mullion		✓ CLNT	✓	
French Style Opening - With Mullion		▼ CLINI		
LIEAT CONFICURATION				
HEAT CONFIGURATION				
Glass		.4611111		
Door Rail Frame	~	✓ CLHH	~	
Trume	¥	V	▼	
FINISHES AVAILABLE				
FINISHES AVAILABLE				
D:1:5:				
Bright Black		V		
Bright Silver Satin Black	.,	Y	•	
Satin Silver	~	~	*	
SIZES AVAILABLE				
SIZES ATAILABLE				
24"462" 26"462" 70"462"				
24"X63", 26"X63", 30"X63" 24"X72", 26"X72", 30"X72"		<u> </u>		
30"X63", 30"X66", 30"X72", 30"X80"		~		
24"X75", 30"X75"			~	
24"X75", 30"X75", 30"X80"	✓			

FREEZER				
STYLELINE	STYLELINE			
RM	CL			
~	~			
,	·			
✓	•			
•				
~	~			
	*			
~	4			
	*			
~	~			
~	*			
✓	*			
*	*			
V	~			
~	~			
*	✓			
	~			
~				
✓ External	4			
↓ External	•			
~	✓			
•	•			
	Y			
~	•			
	7			
✓	· · · · · · · · · · · · · · · · · · ·			
✓	*			
	*			
	Y			
	~			
✓				
•				

Please Note:

Glass & Energy Surcharge will be added to sale orders and final invoices effective 10.3.2022 (excluding freight charges).



Contact customer service for official quote. Visit www.styleline.com for full range of STYLELINE® products.

Styleline CL		DOOR AND FRAME SYSTEM							
Stylellile CL	24x63	26x63	30x63	30x66	30x72	30x80	24x72	26x72	26x80
STYLELINE CL-NT	3,128	3,241	3,393	3,445	3,568	3,992	3,267	3,397	3,672
Package Weight	220lbs	230lbs	250lbs	255lbs	250lbs	280lbs	255lbs	305lbs	335lbs
STYLELINE CL-HH	3,833	3,969	4,157	4,222	4,373	4,892	4,005	4,161	4,500
Package Weight	235lbs	240lbs	265lbs	270lbs	265lbs	290lbs	270lbs	320lbs	350lbs
STYLELINE CL-LT	4,708	4,874	5,105	5,105	5,370	6,007	4,916	5,111	5,527
Package Weight	235lbs	240lbs	265lbs	270lbs	265lbs	290lbs	270lbs	320lbs	350lbs

Styleline RM	DOOR AND FRAME SYSTEM			
Stylelli le KM	24x75	30x75	30x80	
STYLELINE RM-NT	2,675	2,924	3,270	
Package Weight	265lbs	320lbs	350lbs	
STYLELINE RM-LT	4,486	4,858	5,377	
Package Weight	265lbs	320lbs	350lbs	



STYLELINE® CL Shown

What's Included:

- O DOE 2017 Compliant
- Reliable door hinge and hold open cam
- Stainless steel trim with new and improved magnetic door gasket
- One-time adjustment torque rod and self-closing hinge system
- Pre-wired Energy Controller
- Occupancy Sensor for HH & LT applications
- STYLELINE® LED Plus lighting system
- Five heavy-duty 27" NSF approved black flat shelves
- Seven heavy-duty 27" NSF approved black flat shelves for 80" doors
- Shelving price tag molding
- Black post
- Standard handle
- Standard STYLELINE® Warranty

System Performance Levels:

DOOR MODEL	PERFORMANCE LEVELS
STYLELINE CL-NT	75°F/75%RH- @35°F Cooler Temp
STYLELINE CL-HH	75°F/85%RH- @35°F Cooler Temp
STYLELINE CL-LT	75°F/64%RH- @-10°F Freezer Temp
DOOR MODEL	PERFORMANCE LEVELS
STYLELINE RM-NT	75°F/75%RH- @35°F Cooler Temp
STYLELINE RM-LT	75°F/65%RH- @35°F Freezer Temp

Options Available:

- Galvanized post & white shelves
- Gravity flow shelving system
- Glide sheets
- Perimiter guards
- Lane dividers
- Mirrored mullions
- Surface mount lighting kit
- Full lenght handle*
- Internal door lock*
- External door lock
 - * STYLELINE® CL series only



Please Note:

Glass & Energy Surcharge will be added to sale orders and final invoices effective 10.3.2022 (excluding freight charges).



Contact customer service for official quote. Visit www.styleline.com for full range of STYLELINE® products.





HEAVY DUTY	DOOR AND FRAME SYSTEM				
ENTRANCE DOOR	26x80	30x80	36x80	36x84	
HDD SINGLE DOOR	5,381	5,381	5,381	5,652	
Package Weight	200lbs	225lbs	230lbs	235lbs	
HDD DOUBLE-DOOR	8,869	8,869	8,869	9,314	
Package Weight	400lbs	450lbs	460lbs	470lbs	

HEAVY DUTY	DOOR AND FRAME SYSTEM			
SERVICE DOOR	26x80	30x80	36x80	36x84
HDD SERVICE DOOR	3,555	5,381	5,381	5,652
Package Weight	200lbs	225lbs	230lbs	235lbs

System Performance Levels:

DOOR MODEL	PERFORMANCE LEVELS
STYLELINE CL	75°F/75%RH- @35°F Cooler Temp

What's Included:

- DOE 2017 Compliant
- Top-mounted heavy-duty hydraulic closer
- Stainless steel trim with new and improved magnetic door gasket
- High performance glass pack, Argon fill and Low-E
- Pre-wired Energy Controller
- Occupancy Sensor for HH & LT applications
- Door sweeps*
- Tapered internal push bar
- Easy-clean coved frames
- Internal 7.5" stainless kick plate
- Full frame threshold
- Standard handle
- Exterior 9.5" silk screen
- Top 1/3 is clear glass. Bottom 2/3 is black silk screen**
- Standard STYLELINE® Warranty

Options Available:

- STYLELINE® LED Plus lighting
- Full-length handle
- Graph-X Illuminated glass
- No threshold configuration
- Center mullion on double-doors
- 12" & 24" tall Kick Plate
- 10" tall Diamond Kick Plate
- Single or double door locks
- External & internal kick plate
- Kick plate finishes: Stainless & Diamond pattern
- Roll-Mart Cart
- Bumper guards
 - * Entrance Door only
 - ** Service Door only



Finishes



Bumper Guard



Standard Push Bar



Stainless Kick Plate

Full-length Handle

Please Note:

Glass & Energy Surcharge will be added to sale orders and final invoices effective 10.3.2022 (excluding freight charges).



Contact customer service for official quote. Visit www.styleline.com for full range of STYLELINE® products.



AUTOMATIC	FINISHES			
BEER CAVE	SATIN SILVER	SATIN BLACK	BRIGHT SILVER	
78" LEFT TO RIGHT	41,560	44,803	46,986	
78" RIGHT TO LEFT	41,560	44,803	46,986	
108" DOUBLE SLIDER	46,237	49,480	51,664	
120" DOUBLE SLIDER	51,539	54,782	56,965	
144" DOUBLE SLIDER	58,836	62,578	65,072	



Painted Satin Black Smooth Finish

What's Included:

- ADA Compliant
- DOE 2017 Compliant
- UL-certified Door & Frame

- 6 position key selector



Finishes Available

Please Note:

Glass & Energy Surcharge will be added to sale orders and final invoices effective 10.3.2022 (excluding freight charges).



Contact customer service for official quote. Visit www.styleline.com for full range of STYLELINE® products.

Styleline PROFILE	FRENCH HINGED DOOR SIZES		
Stylemic	24x75	30x75	
STYLELINE PROFILE	4,225	4,320	
Package Weight	265lbs	320lbs	

CHELVING CIZE	DOOR SIZE		
SHELVING SIZE	24x75	30x75	
48x27	651		
60x27		756	



French Hinged Style Shown

What's Included:

- DOE 2017 Compliant
- French hinged glass doors with no center mullion
- New concave wiper design
- One-time adjustment torque rod and self-closing hinge system
- Pre-wired Energy Controller
- STYLELINE® LED Plus lighting system
- Ultra-thin glass door perimeter
- Shelving not included. Contact Customer Service
- Standard handle
- Standard STYLELINE® Warranty

Options Available:

- NSF approved shelving system
- Surface mount lighting kit



Please Note:

Glass & Energy Surcharge will be added to sale orders and final invoices effective 10.3.2022 (excluding freight charges).



Contact customer service for official quote. Visit www.styleline.com for full range of STYLELINE® products.

WINDOW SIZE	WINDOW NET COOLER OPENING		
12x60	12" × 60"		
12x63	12" x 64-5/8"		
12x72	12" x 73-9/16"		
18x60	18" × 60"		
18x72	18" x 73-9/16"		
24x24	24" x 24"		
24x60	24" x 60"		
24x72	24-5/16" x 73-9/16"		
18x63	18" x 64-5/8"		
24x63	24-5/16" x 64-5/8"		
26x63	27-1/16" x 64-5/8"		
26x72	27-1/16" x 73-9/16"		
26x80	27-1/16" x 81-1/2"		
30x30	30" x 30"		
30x60	30" x 60"		
30x63	31" x 64-5/8"		
30x66	31" x 67-9/16"		
30x72	31" x 73-9/16"		
30x80	31" × 81-1/2"		
36x36	36" x 36"		
36x60	36" x 60"		
36x63	36" x 64-5/8"		
36x72	36" x 73-9/16"		
40x40	40" x 40"		
40x60	40" x 60"		
40x63	40" x 64-5/8"		
40x72	40" x 73-9/16"		
48x48	48" x 48"		
48x60	48" x 60"		
48x63	48" x 64-5/8"		
48x72	48" × 73-9/16"		

WINDOW NORMAL TEMP	WINDOW HIGH HUMIDITY TEMP	WINDOW LOW-TEMP	WINDOW TRIM FRAME	
1,957	2,152	2,260	74	
2,054	2,260	2,373	78	
2,405	2,645	2,777	89	
3,306	3,637	3,819	111	
3,607	3,967	4,166	134	
1,603	1,763	1,851	59	
4,248	4,673	4,906	148	
5,098	5,607	5,888	178	
3,345	3,680	3,864	117	
4,460	4,906	5,152	156	
4,832	5,315	5,581	169	
5,522	6,075	6,378	193	
6,136	6,750	7,087	214	
2,655	2,920	3,067	93	
5,310	5,841	6,133	185	
5,575	6,133	6,440	195	
5,841	6,425	6,746	204	
6,372	7,009	7,360	223	
7,080	7,434	7,806	247	
3,823	4,014	4,215	134	
6,372	6,691	7,025	223	
6,691	7,025	7,376	234	
7,646	8,029	8,430	267	
4,720	5,192	5,452	165	
7,080	7,788	8,177	247	
7,434	8,177	8,586	260	
8,496	9,346	9,813	297	
6,797	7,476	7,850	237	
8,496	9,346	9,813	297	
8,921	9,813	10,303	312	
10,195	11,215	11,775	356	

All dimensions in inches

What's Included:

- O DOE 2017 Compliant
- No heat in glass pack keeps energy costs low
- High performance, 3-pane, Low-E, Argon filled and fully tempered glass package
- The interior side of Fixed Window has a black vinyl trim that gives the interior a "finished" look without having to use optional trim frames kits
- Standard STYLELINE® Warranty

Options Available:

- Satin Black, Satin Silver, Bright Silver
- Smooth or Serrated

Please Note:

Glass & Energy Surcharge will be added to sale orders and final invoices effective 10.3.2022 (excluding freight charges).



DOOR MODEL PERFORMANCE LEVELS STYLELINE CL-NT 75°F/75%RH-@35°F Cooler Temp STYLELINE CL-HH 75°F/85%RH-@35°F Cooler Temp

75°F/64%RH- @-10°F Freezer Temp

STYLELINE **CL-LT**

System Performance Levels:



Contact customer service for official quote. Visit www.styleline.com for full range of STYLELINE® products.

DOOR#	PART# GUIDE	DOOR SIZES	NET COOLER OPENINGS	NORMAL TEMP	HIGH HUMIDITY	LOW TEMP
1	01H1	24 3/4" × 31 3/8"	26 5/8" x 33 3/16"	2,381	3,175	3,573
2	02H1	24 3/4" × 31 3/8"	51 7/8" x 33 3/16"	4,763	6,350	7,144
3	03H1	24 3/4" × 31 3/8"	77 1/8" x 33 3/16"	7,144	9,526	10,717
4	04H1	24 3/4" × 31 3/8"	103 3/8" x 33 3/16"	9,526	12,701	14,288
1	01H3	29 15/16" x 31 9/16"	31 13/16" x 33 3/8"	2,608	3,402	3,799
2	02H3	29 15/16" x 31 9/16"	62 1/4" x 33 3/8"	5,216	6,804	7,598
3	03H3	29 15/16" x 31 9/16"	92 11/16" x 33 3/8"	7,825	10,206	11,397
4	04H3	29 15/16" x 31 9/16"	123 1/8" x 33 3/8"	10,433	13,608	15,196
1	01H4	31 3/8" × 24 3/4"	33 1/4" x 26 9/16"	2,835	3,629	4,026
2	02H4	31 3/8" x 24 3/4"	65 1/8" x 26 9/16"	5,670	7,258	8,051
3	03H4	31 3/8" × 24 3/4"	97 1/8" x 26 9/16"	8,505	10,886	12,078
4	04H4	31 3/8" x 24 3/4"	129 1/8" x 26 9/16"	11,340	14,515	16,103

Available for cooler,
high humidity and freezer
applications

All standard



Options Available:

LED lighting

finishes available

Integrated door lock

Please Note:

Glass & Energy Surcharge will be added to sale orders and final invoices effective 10.3.2022 (excluding freight charges).

STYLELINE CL-NT

STYLELINE CL-HH

STYLELINE CL-LT

DISCLAIMER: All prices and specifications are subject to change without notice and do not include applicable freight and tax. Prices and Product Specifications shown are list prices. Prices are in U.S. Dollars. Please note, these are just estimated shipping weights and may differ slightly to your total final shipping weight. Actual shipping charges and weights will be calculated and added when your order is processed. See Terms and Conditions for more details.

75°F/75%RH-@35°F Cooler Temp

75°F/85%RH-@35°F Cooler Temp

75°F/64%RH- @-10°F Freezer Temp